State	Percentage of patients who get better at walking or moving around
AK	37%
NE	43%
OR	43%
VI	43%
VT	43%
WY	43%
AZ	44%
CO	44%
MN	44%
NY	44%
SD	44%
TX	44%
WA	44%
СТ	45%
DE	45%
HI	45%
IA	45%
ND	45%
NH	45%
OK	45%

Page 1 of 36 05/28/2010



Page 2 of 36 05/28/2010



Page 3 of 36 05/28/2010




Page 4 of 36 05/28/2010



Page 5 of 36 05/28/2010




Page 6 of 36 05/28/2010




Page 7 of 36 05/28/2010



Page 8 of 36 05/28/2010



Page 9 of 36 05/28/2010



Page 10 of 36 05/28/2010

Percentage of patients who need unplanned medical care related to a wound that is new, is worse, or has become infected



Page 11 of 36 05/28/2010




Page 12 of 36 05/28/2010




Page 13 of 36 05/28/2010




Page 14 of 36 05/28/2010




Page 15 of 36 05/28/2010




Page 16 of 36 05/28/2010




Page 17 of 36 05/28/2010




Page 18 of 36 05/28/2010



Page 19 of 36 05/28/2010




Page 20 of 36 05/28/2010




Page 21 of 36 05/28/2010




Page 22 of 36 05/28/2010



Page 23 of 36 05/28/2010



Page 24 of 36 05/28/2010



Page 25 of 36 05/28/2010



Page 26 of 36 05/28/2010



Page 27 of 36 05/28/2010



Page 28 of 36 05/28/2010




Page 29 of 36 05/28/2010




Page 30 of 36 05/28/2010



Page 31 of 36 05/28/2010




Page 32 of 36 05/28/2010



Page 33 of 36 05/28/2010



Page 34 of 36 05/28/2010



Page 35 of 36 05/28/2010



Page 36 of 36 05/28/2010